

*HART (G) A With Compliments
of The Author*

A CASE

OF

HYDROCELE OF THE ROUND
LIGAMENT

*MISTAKEN FOR AND OPERATED UPON AS A STRANGU-
LATED HERNIA, WITH REMARKS.*

BY

CHAS. A. HART, M. D., NEW YORK,

MEMBER OF THE AMERICAN MEDICAL ASSOCIATION; OF THE NEW YORK ACADEMY OF
MEDICINE; OF THE NEW YORK PATHOLOGICAL SOCIETY, ETC.



NEW YORK:
D. APPLETON & COMPANY,
549 & 551 BROADWAY.
1872.

ADVERTISEMENTS.

NEW MEDICAL WORKS IN PRESS.

II.

A TREATISE

ON

**OVARIAN TUMORS,
THEIR PATHOLOGY, DIAGNOSIS, AND TREATMENT,**

WITH REFERENCE ESPECIALLY TO

OVARIOTOMY.

By E. R. PEASLEE, M. D., LL. D.,

Professor of Diseases of Women in Dartmouth College; one of the Consulting Surgeons to the N. Y. State Woman's Hospital; formerly Professor of Obstetrics and Diseases of Women in the N. Y. Medical College; Corresponding Member of the Obstetrical Society of Berlin, etc., etc., etc.

III.

On Puerperal Diseases.

CLINICAL LECTURES DELIVERED AT BELLEVUE HOSPITAL.

By FORDYCE BARKER, M. D., Clinical Professor of Midwifery and Diseases of Women, in the Bellevue Hospital Medical College; Obstetric Physician to Bellevue Hospital; Consulting Physician to the New York State Woman's Hospital, and to the New York State Hospital for Diseases of the Nervous System; Honorary Member of the Edinburgh Obstetrical Society, etc., etc.

III.

A Treatise on Diseases of the Bones.

By THOMAS M. MARKOE, M. D., Professor of Surgery in the College of Physicians and Surgeons, New York, etc., etc.

IV.

ON THE

Treatment of Pulmonary Consumption,

BY HYGIENE, CLIMATE, AND MEDICINE.

By JAMES HENRY BENNET, M. D.

SECOND EDITION, REVISED AND ENLARGED.

D. APPLETON & CO., Publishers,

549 & 551 BROADWAY, NEW YORK.

A CASE
OF
HYDROCELE OF THE ROUND
LIGAMENT

MISTAKEN FOR AND OPERATED UPON AS A STRANGULATED HERNIA, WITH REMARKS.

BY

CHAS. A. HART, M. D., NEW YORK,

MEMBER OF THE AMERICAN MEDICAL ASSOCIATION; OF THE NEW YORK ACADEMY OF MEDICINE; OF THE NEW YORK PATHOLOGICAL SOCIETY, ETC.

NEW YORK:
D. APPLETON & COMPANY,
549 & 551 BROADWAY.
1872.

A CASE OF HYDROCELE OF THE ROUND LIGAMENT MISTAKEN FOR AND OP- ERATED UPON AS A STRANGULATED HERNIA, WITH REMARKS.

MARCH 3, 1867.—Mrs. P., aged about forty-five years, was thought by her family attendant, Dr. B., to have a strangulated femoral hernia; he called upon Dr. J. M. C. to operate for him, who, after having visited the patient, called upon Dr. R. Nelson to mention the case, and consult with him, giving him the following imperfect history: "She had had more than one child: she thinks that the tumor in her right groin appeared about fifteen years ago, after straining in labor; she had never been able to reduce it, nor had it ever given her pain or inconvenience." What her present illness may be, Dr. C. does not know; he has seen her only once, having been called by her family-doctor to operate for *strangulated femoral hernia*, which is all he has to do in the case. Dr. C. suspects chronic incarceration, and at present strangulation, *because the patient has vomited once*. He has tried taxis ineffectually. He says, "It is surprising how soft the tumor is, and remarkably thin the parietes are."

The patient was very much averse to any surgical interference, but, having consented to an operation at the urgent request of her husband and medical attendant, at 8 o'clock was brought under the influence of chloroform, while in bed ; and, when fully anaesthetized, carried into the front parlor (where several assistants were waiting), and placed upon a table for operation. The tumor was now exposed, which was found to be larger than a hen's egg, flattened, situated *above Poupart's ligament, and in the direction of the inguinal canal.* Dr. C. made a slight and ineffectual attempt at taxis, which served only to drive the contents of the tumor in a contrary direction, to one or the other side, or upward, which, as soon as pressure was discontinued, returned to its former size, site, and appearance.

Dr. N. was requested to examine the tumor, and did so, recognizing at once its nature, for he immediately placed his hand above the tumor to exclude lateral light, and requested me to hold a candle close to it, which I did, when the *diaphanous character of hydrocele* became strikingly apparent. *The parietes of the tumor were not tense, but soft.* There was no opportunity afforded for advice or caution, as Dr. C. immediately commenced his operation by making an incision through the skin *transversely across the abdomen, at least an inch and a half above Poupart's ligament,* about four inches long, and another incision bisecting the first vertically, about three inches in length ; the upper line of this cut lay on the abdomen, the lower one across the tumor as far as its lower border, bringing into view a smooth, bluish, and translucent sac. The four corners of the crucial cuts were dissected up, and the whole tumor exposed, which could now no more be reduced than before. A prolonged attempt was now made to

separate an expectant fascia, by repeated scratching and division of thin laminae of cellular tissue, raised by thrusting a director under their leaves, one after another, without meeting any, until the parietes of the tumor became so thin that the contained fluid began to ooze out. (The operator, thinking the blue tumor was intestine, was surprised that the sac had no fascia.) Dr. N. repeatedly advised, "*Cut into it, it is not intestine you have here,*" when Dr. C. thrust an exploring needle into it, on the withdrawal of which about three ounces of a clear, limpid fluid spurted out, arch-form, resembling hydrocelic fluid; at this stage the supposed hernial tumor quite disappeared. The sac which had contained the fluid was now freely laid open in search of intestine, or omentum, but neither was found; but a long, thick, fatty mass lay in the *canal of the round ligament*, free in front, but adherent behind. This was in *no way inflamed or discolored*; it was said to be incarcerated omentum, but attempts to either reduce it or pull it down were equally unavailing. After considerable manipulation the lower end became detached from its adhesions to the canal, and by pushing and tearing was separated as far up as the internal inguinal ring, when an ineffectual attempt was again made to return it within the abdomen. This failing, it was decided to cut it off; before this could be carried into execution, Dr. N. managed to press his fingers through the elongated meshes of which it consisted, and in this way severed it into four or five strips, three of which, supposed by the operator to be omentum, were cut off, from the ends of which a few drops of blood oozed, furnished by a couple of arterioles the size of fine hairs: these were ligated. The determination being to make the case one of hernia, the finger was worked in the direc-

tion of the canal into the abdomen, and the remaining mass thrust in, and the wound closed by wire sutures, compresses, etc.

The little blood that oozed came from a fleshy fibre of the hypertrophied fibres of an analogous cremaster muscle. The fatty structure had not the slightest resemblance to omentum, but resembled in some degree a spermatic cord, and was composed of granular fat.

The after-history of the case (except that recovery had taken place), I remained in ignorance of until October 26, 1870, when, having an opportunity of seeing the patient, she furnished me as clearly as she could remember the history of her complaint from the time of discovery, about eighteen years ago, when she first noticed the tumor while bathing, about two or three months after a not severe confinement. The tumor was then hardly the size of a filbert, and unattended with pain; she made repeated efforts to reduce it, supposing it to be a hernia, but never succeeded, nor has it ever disappeared during the recumbent posture. The tumor, without causing either pain or inconvenience, steadily but slowly increased until it attained the size it was at the time of operation in 1867; following which she kept her bed for six weeks, though the wound was closed at the end of three. A short time after, being about again, she noticed a commencing return of the tumor, which at the present time has attained about the same size as the original one, and, like it, of gradual growth and free from pain. Her former experience not being of a pleasing kind, she has adopted the precaution of wearing a truss (being still under the impression that the tumor is hernial), but with the effect of merely flattening the tumor, as it has never been reduced.

I regret exceedingly that the lady's extreme repugnance to an examination could not be overcome, as more information might have been gained. The pathological conditions found in this case can, I presume, be considered as typical of this extremely rare form of disease; of which I know of but two other instances which came under the observation of Dr. R. Nelson, both of which possessed the same physical characteristics of *translucency, slow growth, non-reducible, and free from pain*: no operation was performed in either case.

The literature upon this form of disease is extremely scanty, it being mentioned, as far as I am aware, only in the older editions of *Ætius, Paré, Scarpa, Meckel, and Poland*. That the disease occurs more frequently than is generally supposed there can be but little doubt; but, not being mentioned or classified in the modern medical works, it is confounded with other diseases, and not recognized in its true nature.

Medical Works published by D. Appleton & Co.

- Anstie on Neuralgia.** 1 vol., 12mo. Cloth, \$2.50.
Barker on Sea-Sickness. 1 vol., 16mo. Cloth, 75 cents.
Barus's Obstetric Operations. 1 vol., 8vo. Cloth, \$4.50.
Bellevue and Charity Hospital Reports. 1 vol., 8vo. Cloth, \$4.00.
Bennet's Winter and Spring on the Mediterranean. 1 vol., 12mo. Cloth, \$3.50.
Bennet on the Treatment of Pulmonary Consumption. 1 vol., 8vo. \$1.75.
Billroth's General Surgical Pathology and Therapeutics. 1 vol., 8vo. Cloth, \$5.00.
Combe on the Management of Infancy. 1 vol., 12mo. Cloth, \$1.50.
Davis's (Henry G.) Conservative Surgery. Cloth, \$3.00.
Elliot's Obstetric Clinic. 1 vol., 8vo. Cloth, \$4.50.
Flint's Physiology. (Vols. IV. and V. in press.) 8vo. Cloth, per vol., \$4.50.
Flint's Manual on Urine. 1 vol., 12mo. Cloth, \$1.00.
Flint's Relations of Urea to Exercise. 1 vol., 8vo. Cloth, \$2.
Hammond's Diseases of the Nervous System. 1 vol., 8vo. Cloth, \$5.00.
Hammond's Physics and Physiology of Spiritualism. 1 vol., 12mo. Cloth, \$1.00.
Howe on Emergencies. 1 vol., 8vo. Cloth, \$3.00.
Huxley & Yonmans's Physiology and Hygiene. 1 vol., 12mo. Cloth, \$1.75.
Johnston's Chemistry of Common Life. 2 vols., 12mo. Cloth, \$3.
Letterman's Recollections of the Army of the Potomac. 1 vol., 8vo. Cloth, \$1.00.
Lewes's Physiology of Common Life. 2 vols., 12mo. Cloth, \$3.
Mandsley on the Mind. 1 vol., 8vo. Cloth, \$3.50.
Mandsley's Body and Mind. 1 vol., 12mo. Cloth, \$1.00.
Meyer's Electricity. 1 vol., 8vo. Cloth, \$4.50.
Niemeyer's Practical Medicine. 2 vols., 8vo. Cloth, \$9; sheep, \$11.
Neffel on Galvano-Therapeutics. 1 vol., 12mo. Cloth, \$1.50.
Nightingale's Notes on Nursing. 1 vol., 12mo. Cloth, 75 cents.
Neumann on Skin Diseases. 1 vol., 8vo. Cloth, \$4.00.
Sayre's Club-foot. 1 vol., 12mo. Cloth, \$1.00.
Strond's Physical Cause of the Death of Christ. 1 vol., 12mo. \$2.00.
Swett on Diseases of the Chest. 1 vol., 8vo. Cloth, \$3.50.
Simpson's (Sir Jas. Y.) Complete Works. Vol. I. Obstetrics and Gynaecology. 8vo. Cloth, \$3.00. Vol. II. Anæsthesia, Hospitalism, etc. 8vo. Cloth, \$3.00. Vol. III. (In press.)
Tilt's Uterine Therapeutics. 1 vol., 8vo. Cloth, \$3.50.
Van Buren on Diseases of the Rectum. 1 vol., 12mo. \$1.50.
Vogel's Diseases of Children. 1 vol., 8vo. Cloth, \$4.50.
Barker on Puerperal Diseases. (In press.)
Courty on Diseases of the Uterus, etc. (In press.)
Huxley on the Anatomy of Vertebrated Animals. (In press.)
Markoe on Diseases of the Bones. (In press.)
Peaslee on Ovarian Tumors. (In press.)
Van Buren on Surgical Diseases of the Male Genito-Urinary Organs. (In press.)

* * Any of these works will be mailed, post free, to any part of the United States, on receipt of the price. Catalogues forwarded on application.

D. APPLETON & CO., 549 & 551 Broadway, N. Y.

THE
NEW YORK MEDICAL JOURNAL.

EDITORS,

JAS. B. HUNTER, M. D., WILLIAM T. LUSK, M. D.

A Journal of Rare Excellence, containing Contributions from Leading Members of the Profession.

Terms, \$4 per annum. Specimen numbers sent by mail on receipt of 25c.

"One of the best Medical Journals, by-the-by, published on the American Continent."—*London Medical Times and Gazette*, Feb. 29, 1868.

"A very high-class journal."—*London Medical Mirror*, March 1, 1869.

"The editor and the contributors rank among our most distinguished medical men, and each number contains matter that does honor to American medical literature."—*Boston Journal of Chemistry*.

THE JOURNAL OF
PSYCHOLOGICAL MEDICINE:

A QUARTERLY REVIEW OF

*Diseases of the Nervous System, Medical Jurisprudence,
and Anthropology*

EDITED BY

WILLIAM A. HAMMOND, M. D.,

Professor of Diseases of the Nervous System and of Clinical Medicine in the Bellevue Hospital Medical College; Physician-in-Chief to the New York State Hospital for Diseases of the Nervous System, etc., etc.

EVERY PHYSICIAN AND LAWYER SHOULD READ IT.

Terms, \$5.00 per annum. Specimen Numbers, by mail, \$1.00.

"To the physician interested in the higher manifestations of the wonderful organic functions of human life, as well as in practical teachings of pathology and therapeutics, and the bearing of the law upon facts that may be subject to medico-legal inquiry, this journal of Dr. Hammond is of special value. But it is scarcely less interesting to live men of other professions, as is evident from a survey of its contents."—*Franklin Repository*.

"In it likewise will be found a department set aside for medical jurisprudence, which will be found interesting to those learned in the law. We have yet much to learn in this country of that branch of knowledge with which the barristers of the Old World have been long familiar. Many of the articles, however, will attract the attention of non-professional readers."—*Philadelphia Age*.

"A Quarterly that does honor to the professions to whom it is chiefly addressed."—*New York World*.

"It is open to new truth, new demonstration, new theory. It is unimpassioned and unprejudiced as sciencee itself."—*New York Times*.

CLUB RATES.

New York Medical Journal and Psychological Journal.....	\$8 00
New York Medical Journal and Appleton's Weekly Journal.....	7 00
Psychological Journal and Appleton's Weekly Journal.....	8 00
Psychological, N. Y. Medical, and Appleton's Weekly Journal.....	10 00

Commutation given with any medical Journal now published.

Subscriptions should be addressed, by registered letter or money order, to the Publishers,

D. APPLETON & CO.,

549 & 551 Broadway, New York.